



Pfizer Pipeline

As of July 28, 2015



Disclaimer

- As some programs are still confidential, some candidates may not be identified in this list. In these materials, Pfizer discloses Mechanism of Action (MOA) information for candidates from Phase 2 through regulatory approval. With a view to expanding the transparency of our pipeline, Pfizer is including new indications or enhancements, which target unmet medical need or represent significant commercial opportunities. The information contained on these pages is correct as of July 28, 2015.
- Visit Pfizer.com/pipeline, Pfizer's online database where you can learn more about our portfolio of new medicines and find out more about our Research and Development efforts around the world.

Table of Contents

Pfizer Pipeline Snapshot	4
Cardiovascular & Metabolic Diseases	5
Inflammation & Immunology	6
Neuroscience & Pain	7
Oncology	8
Rare Diseases	9
Vaccines	10
Other Areas of Focus (including Biosimilars)	11
Projects Discontinued Since Last Update	12
Backup: Regulatory Designation Definitions	13-14

Pfizer Pipeline Snapshot



Pfizer Pipeline – July 28, 2015

Therapeutic Area	Compound Name	Mechanism of Action (Phase 2 through regulatory approval)	Indication	Phase
Cardiovascular and Metabolic Diseases	bococizumab (RN316) (PF-04950615)	PCSK9 Inhibitor	Treatment of Hyperlipidemia (Biologic)	Phase 3
	ertugliflozin (PF-04971729)	SGLT-2 Inhibitor	Diabetes Mellitus-Type 2	Phase 3
	PF-00489791	PDE5 Inhibitor	Diabetic Nephropathy	Phase 2
	PF-04634817	CCR2/5 Antagonist	Diabetic Nephropathy, Diabetic Macular Edema	Phase 2
	PF-04937319	Partial Glucokinase Activator	Diabetes Mellitus-Type 2	Phase 2
	PF-06291874	Glucagon Receptor Antagonist	Diabetes Mellitus-Type 2	Phase 2
	PF-06282999		Acute Coronary Syndrome	Phase 1
	PF-06293620		Diabetes Mellitus-Type 2 (Biologic)	Phase 1
	PF-06427878		Hyperlipidemia	Phase 1

Pfizer Pipeline – July 28, 2015 (cont'd)

New Molecular Entity

New Indication or Enhancement

Therapeutic Area	Compound Name	Mechanism of Action (Phase 2 through regulatory approval)	Indication	Phase
Inflammation and Immunology	▶ Xeljanz (tofacitinib)	JAK Inhibitor	QD MR 11 mg (U.S.)	Registration
	Xeljanz (tofacitinib)	JAK Inhibitor	Psoriasis (Oral) (U.S.)	Registration
	Xeljanz (tofacitinib)	JAK Inhibitor	Psoriasis (Oral) (E.U.)	Phase 3
	Xeljanz (tofacitinib)	JAK Inhibitor	Ulcerative Colitis	Phase 3
	Xeljanz (tofacitinib)	JAK Inhibitor	Psoriatic Arthritis	Phase 3
	Dekavil	IL-10	Rheumatoid Arthritis (Biologic)	Phase 2
	PF-00547659	MAdCAM Inhibitor	Crohn's Disease, Ulcerative Colitis (Biologic)	Phase 2
	PF-03715455	P38 Inhibitor	Asthma, Chronic Obstructive Pulmonary Disease	Phase 2
	PF-04171327	Selective Glucocorticoid Receptor Modulator	Rheumatoid Arthritis	Phase 2
	PF-04236921	IL-6 Inhibitor	Crohn's Disease, Lupus (Biologic)	Phase 2
	PF-04965842	JAK Inhibitor	Psoriasis, *Lupus	Phase 2
	Xeljanz (tofacitinib)	JAK Inhibitor	Ankylosing Spondylitis, Crohn's Disease, RA (EU)	Phase 2
	PF-06342674		Diabetes Mellitus-Type 1, Multiple Sclerosis (Biologic)	Phase 1
	PF-06480605		Crohn's Disease (Biologic)	Phase 1
	PF-06650833		Lupus	Phase 1
	PF-06651600		Crohn's Disease	Phase 1
PF-06700841		Lupus	Phase 1	



▶ Indicates that the project is either new or has progressed in phase since the previous portfolio update of Pfizer.com

* Note: Additional indications in Phase 1.

Pfizer Pipeline – July 28, 2015 (cont'd)

New Molecular Entity

New Indication or Enhancement

Therapeutic Area	Compound Name	Mechanism of Action (Phase 2 through regulatory approval)	Indication	Phase
Neuroscience and Pain	ALO-02 Oxycodone-naltrexone core	Mu-type opioid receptor (MOR-1) agonist	Severe Pain	Registration
	Celebrex	COX-2	Chronic Pain (U.S.)	Registration
	Lyrica	Alpha-2 Delta Ligand	CR (once a day dosing)	Phase 3
	Lyrica	Alpha-2 Delta Ligand	Peripheral Neuropathic Pain	Phase 3
	tanezumab	Nerve Growth Factor Inhibitor	OA Signs and Symptoms (Biologic)	Phase 3
	PF-02545920	PDE10 Inhibitor	Huntington's Disease (ORPHAN - U.S.)	Phase 2
	PF-04457845	Fatty Acid Amide Hydrolase (FAAH) Inhibitor	Post-Traumatic Stress Disorder	Phase 2
	PF-05089771	Nav 1.7 Modulator	Chronic Neuropathic Pain	Phase 2
	PF-05212377 (SAM-760)	5HT6 Antagonist	Alzheimer's Disease	Phase 2
	PF-06372865	GABA A Agonist	Chronic Pain, Generalized Anxiety Disorder	Phase 2
	ponezumab (PF-04360365)	Beta Amyloid Inhibitor	Cerebral Amyloid Angiopathy (Biologic)	Phase 2
	tanezumab	Nerve Growth Factor Inhibitor	Cancer Pain (Biologic)	Phase 2
	PF-04958242		Schizophrenia	Phase 1
	▶ PF-05251749		Alzheimer's Disease	Phase 1
	PF-06412562		Cognitive Disorder	Phase 1
	PF-06648671		Alzheimer's Disease	Phase 1
	PF-06649751		Parkinson's Disease	Phase 1
	PF-06669571		Cognitive Disorder	Phase 1



▶ Indicates that the project is either new or has progressed in phase since the previous portfolio update of Pfizer.com

Indicates Regulatory Designation – See Definitions in Backup

Pfizer Pipeline – July 28, 2015 (cont'd)

New Molecular Entity

New Indication or Enhancement

Therapeutic Area	Compound Name	Mechanism of Action (Phase 2 through regulatory approval)	Indication	Phase
Oncology	Xalkori (crizotinib)	c-MET-ALK-ROS1 Inhibitor	ALK-Positive 1st Line Non-Small Cell Lung Cancer (EU), *Cancer	Registration
	avelumab (PF-06834635) (MSB0010718C)	Anti PD-L1 Inhibitor	2nd Line Non-Small Cell Lung Cancer (Biologic)	Phase 3
	Bosulif (bosutinib)	Abl and src-family Kinase Inhibitor	1st Line Chronic Myelogenous Leukemia (ORPHAN - U.S.)	Phase 3
	dacomitinib (PF-00299804)	pan-HER Inhibitor	1st Line EGFR mutant Non-Small Cell Lung Cancer (ORPHAN - U.S.) , *Cancer	Phase 3
	Ibrance (palbociclib)	CDK 4,6 Kinase Inhibitor	1st Line Advanced Breast Cancer (E.U.), *Cancer	Phase 3
	Ibrance (palbociclib)	CDK 4,6 Kinase Inhibitor	Recurrent Advanced Breast Cancer	Phase 3
	Ibrance (palbociclib)	CDK 4,6 Kinase Inhibitor	High Risk Early Breast Cancer	Phase 3
	Inlyta (axitinib)	VEGF Tyrosine Kinase Inhibitor	Renal Cell Carcinoma Adjuvant, *Cancer combo w/ Merck's Keytruda (PD-1, pembrolizumab)	Phase 3
	inotuzumab ozogamicin	CD22-targeted cytotoxic agent	Acute Lymphoblastic Leukemia (Biologic) (ORPHAN - U.S., E.U.)	Phase 3
	Sutent (sunitinib)	Multiple Tyrosine Kinase Inhibitor	Renal Cell Carcinoma Adjuvant	Phase 3
	avelumab (PF-06834635) (MSB0010718C)	Anti PD-L1 Inhibitor	Metastatic Merkel Cell Carcinoma, *Cancer (Biologic)	Phase 2
	glasdegib (PF-04449913)	SMO (smoothened) antagonist	Acute Myeloid Leukemia, *Cancer	Phase 2
	gedatolisib (PF-05212384)		Cancer	Phase 1
	► PF-04518600		Cancer (Biologic)	Phase 1
	PF-05082566		Cancer (Biologic), Combo w/ Merck's Keytruda (PD-1, pembrolizumab), Combo w/ Kyowa Hakko Kirin's anti-CCR4 antibody (mogamulizumab)	Phase 1
	PF-06463922		ALK Non-Small Cell Lung Cancer (ORPHAN - U.S.)	Phase 1
	PF-06647020		Cancer (Biologic)	Phase 1
	PF-06647263		Cancer (Biologic)	Phase 1
	PF-06650808		Cancer (Biologic)	Phase 1
	PF-06664178		Lung Cancer (Biologic)	Phase 1
► PF-06747775		Cancer	Phase 1	



► Indicates that the project is either new or has progressed in phase since the previous portfolio update of Pfizer.com

* Note: Additional indications in Phase 1

Indicates Regulatory Designation – See Definitions in Backup

Pfizer Pipeline – July 28, 2015 (cont'd)

New Molecular Entity

New Indication or Enhancement

Therapeutic Area	Compound Name	Mechanism of Action (Phase 2 through regulatory approval)	Indication	Phase
Rare Diseases	tafamidis meglumine	Transthyretin (TTR) Dissociation Inhibitor	Transthyretin familial amyloid polyneuropathy (U.S.) (FAST TRACK, ORPHAN - U.S.)	Registration
	PF-06836922 (MOD-4023)	Human Growth Hormone Agonist	Adult Growth Hormone Deficiency (Biologic) (ORPHAN - U.S., E.U.)	Phase 3
	► rivipansel (GMI-1070)	Pan-Selectin Antagonist	Vaso-occlusive crisis associated with Sickle Cell Disease (FAST TRACK, ORPHAN - U.S., E.U.)	Phase 3
	Vyndaqel (tafamidis meglumine)	Transthyretin (TTR) Dissociation Inhibitor	Adult Symptomatic Transthyretin Cardiomyopathy (ORPHAN - U.S., E.U. **)	Phase 3
	PF-06252616	Myostatin Inhibitor	Duchenne Muscular Dystrophy (Biologic) (FAST TRACK, ORPHAN - U.S., E.U.)	Phase 2
	PF-06836922 (MOD-4023)	Human Growth Hormone Agonist	Pediatric Growth Hormone Deficiency (Biologic) (ORPHAN - U.S., E.U.)	Phase 2
	PF-04447943		Sickle Cell Anemia (ORPHAN - U.S.)	Phase 1
	PF-05230907		Intracerebral Hemorrhage (Biologic)	Phase 1

► Indicates that the project is either new or has progressed in phase since the previous portfolio update of Pfizer.com

Indicates Regulatory Designation – See Definitions in Backup

** Note: Two EU orphan designations apply to Vyndaqel in cardiomyopathy: One for patients with familial amyloid cardiomyopathy due to a genetic variant of the TTR gene(TTR-FAC), and another EU orphan designation for senile systemic amyloidosis, for cardiomyopathy in patients without the gene variant (TTR-Wild Type).



Pfizer Pipeline – July 28, 2015 (cont'd)

Therapeutic Area	Compound Name	Mechanism of Action (Phase 2 through regulatory approval)	Indication	Phase
Vaccines	Trumenba (MnB rLP2086)	Prophylactic Vaccine	Adolescent and Young Adult Meningitis B (E.U.)	Phase 3
	4-Antigen Staphylococcus Aureus Vaccine (SA4Ag) (PF-06290510)	Prophylactic Vaccine	Staph aureus (FAST TRACK)	Phase 2
	PF-06425090	Clostridium difficile Vaccine	Clostridium difficile Colitis (FAST TRACK)	Phase 2
	PF-05402536		Smoking Cessation	Phase 1
	PF-06444752		Asthma	Phase 1



Indicates Regulatory Designation – See Definitions in Backup

Pfizer Pipeline – July 28, 2015 (cont'd)

New Molecular Entity

Biosimilar

Therapeutic Area	Compound Name	Mechanism of Action (Phase 2 through regulatory approval)	Indication	Phase
Other Areas of Focus (Biosimilars)	PF-05280014, a potential biosimilar to Herceptin® (trastuzumab)	erbB2 TK Inhibitor	Metastatic Breast Cancer (Biosimilar)	Phase 3
	PF-05280586, a potential biosimilar to Rituxan® /MabThera (rituximab)	CD20 Antigen Antagonist	Follicular Lymphoma (Biosimilar)	Phase 3
	▶ PF-06410293, a potential biosimilar to Humira® (adalimumab)	Tumor Necrosis Factor Inhibitor	Rheumatoid Arthritis (Biosimilar)	Phase 3
	PF-06438179, a potential biosimilar to Remicade® (infliximab)	Tumor Necrosis Factor Inhibitor	Rheumatoid Arthritis (Biosimilar)	Phase 3
	PF-06439535, a potential biosimilar to Avastin® (bevacizumab)	VEGF inhibitor	Non-Small Cell Lung Cancer (Biosimilar)	Phase 3
Other Areas of Focus	Viviant	Selective Estrogen Receptor Modulator	Osteoporosis Treatment and Prevention (U.S.)	Registration

Remicade® is a registered U.S. trademark of Janssen Biotech, Inc.; Rituxan® is a registered U.S. trademark of Biogen Idec Inc.; MabThera is a trademark of F. Hoffman-La Roche AG; Herceptin® is a registered U.S. trademark of Genentech, Inc.; Humira® is a registered U.S. trademark of Abbvie Biotechnology Ltd.; Avastin® is a registered U.S. trademark of Genentech, Inc.



▶ Indicates that the project is either new or has progressed in phase since the previous portfolio update of Pfizer.com

Projects Discontinued from Development since April 28, 2015

Compound Name	Mechanism of Action (Phase 2 through regulatory approval)	Indication	Phase
PF-03084014	Gamma-Secretase Inhibitor	Triple Negative Breast Cancer	Phase 2
PF-05285401	Multipotent Adult Progenitor Cell	Ulcerative Colitis (Biologic)	Phase 2
PF-06473871 (EXC 001)	CTGF Inhibitor	Dermal Scarring	Phase 2
PD-0325901		Cancer (in combination with PF-05212384)	Phase 1
PF-05280602		Hemophilia (Biologic) (ORPHAN - U.S.)	Phase 1
PF-06260414		Cachexia	Phase 1
PF-06263507		Cancer (Biologic)	Phase 1
PF-06409577		Diabetic Nephropathy	Phase 1

Backup

Regulatory Designation Definitions

- **Fast Track (U.S.)** is a designation available to a product if it is intended, whether alone or in combination with one or more other drugs, for the treatment of a serious or life-threatening disease or condition, and it demonstrates the potential to address unmet medical needs for such a disease or condition. This designation is intended to facilitate development and expedite review of drugs to treat serious and life-threatening conditions so that an approved product can reach the market expeditiously. More information about the qualifying criteria and features of the Fast Track program can be found on the FDA's website.
- **Breakthrough Designation (U.S.)** may be granted to a drug (alone or in combination with 1 or more other drugs) intended to treat a serious or life-threatening disease or condition, and preliminary clinical evidence indicates that the drug may demonstrate substantial improvement over existing therapies on one or more clinically significant endpoints, such as substantial treatment effects observed early in clinical development. A drug that receives breakthrough designation is eligible for all fast track designation features and an FDA commitment to work closely with the sponsor to ensure an efficient drug development program. More information about the qualifying criteria and features of the Breakthrough program can be found on the FDA's website.
- **Orphan Drug (US)** - Orphan drug status may be granted to drugs and biologics that are intended for the diagnosis, prevention, or treatment of rare diseases/disorders that affect fewer than 200,000 people in the U.S., or that affect more than 200,000 persons but where it is unlikely that expected sales of the product would cover the sponsor's investment in its development. More information about the qualifying criteria, features, and incentives involved in an orphan drug designation can be found on the FDA's website.
- **Orphan Drug (Europe)** - Orphan drug status may be granted to drugs and biologics that are intended for the diagnosis, prevention or treatment of a life-threatening or chronically debilitating condition affecting no more than 5 in 10,000 persons in the European Union at the time of submission of the designation application, or that affect more than 5 in 10,000 persons but where it is unlikely that expected sales of the product would cover the investment in its development. More information about the qualifying criteria, features, and incentives involved in an orphan drug designation can be found on the EMA's website.
- A U.S. drug application will receive a **priority review designation** if it is for a drug that treats a serious condition and, if approved, would provide a significant improvement in safety or effectiveness. A priority designation is intended to direct overall attention and resources to the evaluation of such applications. A priority review designation means that FDA's goal is to take action on the marketing application within 6 months of receipt (compared with 10 months under standard review). More information about the qualifying criteria and features of a priority review designation can be found on the FDA's website.